

## **150 Gallon Deck Box** Owner's Manual

MODEL: DB23003



# EAST OAK



## **Questions? Comments?** Reach out to us for expert support!

- eastoak.com

1-833-EAST-OAK (USA)

(1-833-327-8625) Mon-Fri 8am-8pm EST

Follow eastoakliving on









## Claim your 3-year warranty

at eastoak.com/warranty



## Please scan the QR code to view the installation video



EASTOAK.COM DECK BOX

## IMPORTANT CAUTION

Once installed, the product cannot be detached. Please strictly follow each step in the installation manual.

- Please check all parts and components to ensure that there are no damages or missing items before starting the construction of the product. If you have any problems or discover any missing parts, please contact customer service at support@eastoak.com
- Some parts may contain sharp edges. Wear protective gloves if necessary during assembly.
- When using power tools, please adjust the gear to the minimum, otherwise it will cause damage to the parts.

#### ASSEMBLY INSTRUCTIONS

- DO NOT assemble this item alone for your safety. Two people are necessary for smooth and safe installation.
- We recommend using a rubber hammer and an electric screwdriver for better installation.
- Item identification: For ease of identification, all parts are labeled to correspond to the step number in which the part is used.
- Tips: When installing the screws, fix them first, and then tighten the screws after they are all positioned.
- The letter marks on the A/B/C/J/F/N panels should face inward when installing.

## **CARE & SAFETY**

- Avoid placing products in areas with standing water, such as potholes on lawns.
- Check all panels for tightness before usage.
- It is of utmost importance to assemble all parts according to the directions. Do not skip any step.
- In case of fire, do not attempt to extinguish any burning polypropylene with water.
- Wear safety goggles and always follow the manufacturer's instructions when using power tools.
- Using a stiff brush or abrasive cleaner could damage the box.
- Hot items such as recently used grills, blowtorches, etc., must not be stored in the box.
- After rain, wipe the box with a cloth before opening it.
- Unsuitable for the storage of flammable or corrosive substances.
- Do not stand on the lid.
- To prevent the risk of suffocation, do not allow children to play inside the box.

## **PARTS LIST**



Front&Back Panel



**Front Panel with Logo** 

A+Logo (X1)



Side Panel

B (X2)





**Bottom Panel** C (X2)



**Lid Panel** F (X1)



**Lid Panel** J (X1)



**Partition Panel** N (X1)

Lock Bracket-1

**Plastic Hinge** 

E (X2)

EASTOAK.COM

G (X1)



Reinforced Metal Rod D (X4)



Lid Connector-1 G1 (X1)



G2 (X1)











**Plastic Strip** T (X2)





**Lid Panel** Reinforced Bridge

P (X1)

DECK BOX



Rubber Plug Q (X2)



**Hvdraulic Rod** H1 (X2)

## **ASSEMBLY INSTRUCTIONS**


Align 2 Rubber Plugs Q with the hole and install it on Bottom Panel C.

The letter marks on the A/A+Logo/B/C/F/J panels should face inward when installing.










Please put 2 Panels C on a flat ground so that snap tabs can be aligned easily.








Install 2 Panels A(without logo): Insert 2
Reinforced Metal Rods D to the end and then buckle 2 panels together.



(X2)

D (X1)

Please note that the directions of the arrows are consistent.




Repeat Step 3 to install the other 2 Side Panels A.






A (X1)






Put the assembled Side Panel A on the flat ground, and then buckle the Bottom Panel C in.




Repeat Step 5 to install the other side. 6




Assemble two B panels to A panels and C panel. Please note that the directions of the arrows on Panel A and B are consistent.



B (X2)






1-833-327-8625 SUPPORT@EASTOAK.COM EASTOAK.COM DECK BOX 9


Gently pull the side panel and align Partition Panel N with the card slot.









Tips: Dismantling of partition panel: Lift the partition board up and out of the buckle position, and then pull the front and rear side panels slightly to take it out.



Please install the Lid Conecters G1,G2 and 2 Reinforced Metal Rods D to Lid Panel F.











Connect Lid Panel F to Lid Panel J.











of Reinforced Bridge P into the

Panel first.

upper cover board

Please install Lock Bracket-1 G to Lid Panel.







E (X2)




M (X5)










For easier installation, Plastic Hinge E should tilt to one side, then to the other

Assemble 2 Hydraulic Rods H1 to Lid Panel with







Assemble 2 Hydraulic Rods H1 to Side Panel B with 6 Screws. **15** 








Tighten Plastic Hinge E with 8 Screws.





13



Installation completed.



12 1-833-327-8625 SUPPORT@EASTOAK.COM EASTOAK.COM DECK BOX

## **FEATURES**

- Weatherproof and Waterproof Outdoor Furniture
- UV and Fade Resistance
- Durable and Long-lasting Use
- Easy to Assemble
- Marine-grade Quality Hardware
- Comfortable Side Handles
- Upgraded PP Material to Prevent Bending and Fading
- Use for Indoors and Outdoors, Pillows, Pool Toys, Garden Tools, Furniture and Sports Equipment
- Great Option for Home Storage and Organization

## WHAT'S IN THE BOX

- 11 Deck Box Assemblies
- 1 Lid Panel Reinforced Bridge
- 4 Reinforced Metal Rods
- 2 Hydraulic Rods
- Screw Package
- User Manual

## **WARRANTY POLICY**

## **GUARANTEED 3-YEAR WARRANTY**

Thank you for choosing East Oak. This product is covered by our company warranty for up to 3 years from its original purchase date.

#### **CLAIM WARRANTY**

If you'd like to claim your product's warranty, register your new product on our website at **www.eastoak.com/warranty**.

SUPPORT@EASTOAK.COM

## **WARNING**

Cancer and Reproductive Harm www.P65Warnings.ca.gov.

# EAST OAK

□ support@eastoak.com
 □ seatoak.com

€ 1-833-EAST-OAK (USA)